



- NOTES:
1. ALL CAPACITORS IN MFD UNLESS OTHERWISE INDICATED.
 2. ALL RESISTORS 1/2W 10% UNLESS OTHERWISE INDICATED.
 3. ALL VOLTAGE READINGS MADE WITH 20,000 OHM PER VOLT-METER (VOLTAGES ±10%).
 4. AMERICAN TUBE NUMBER SHOWN IN PARENTHESIS

CAMBRIDGE REVERB
AMPLIFIER NO. V-3




- Q1-Q2-Q3-Q5 Transistor (Grn/Yellow)
- Q6-Q10-Q11 Transistor (Yellow)
- Q4 Transistor "E"
- Q7 Transistor "G" (Driver)
- Q8-Q9 Output Transistor (Germ.)


INPUT CIRCUIT




REVERBERATION




POWER AMPLIFIER




Digital rendering, additions, and corrections copyright 2000 North Coast Music. All rights reserved, unauthorized duplication or resale strictly prohibited.



(EXTENSIVE PANEL VIEW)



POWER SUPPLY



GENERAL INFORMATION

This symbol denotes the common connecting points for the various power supply connections throughout the unit. Note that several of these points are marked "source" which denotes the origin of the reference potential.

These symbols both represent B+ amplifier chassis ground.

Arrows indicate the direction of audio signal flow through the circuit.


This symbol indicates plug and socket terminal connections. Where it is not practical to draw the assembly as a complete unit.

All capacitors in MFD unless otherwise indicated.

All resistors 1/2W 1/16 unless otherwise indicated.

All voltage readings made with 20,000 ohm per volt meter (voltage 1/10).

Arrow drawn on pot. arm indicates clockwise rotation.




CAMBRIDGE REVERB V1031


North Coast Music

North Coast Music




INPUT CIRCUIT



REVERBERATION



POWER AMPLIFIER



GENERAL INFORMATION

This symbol denotes the common connecting points for the various power supply sections throughout the unit. Note that several of these points are marked "source", which denotes the origin of the reference potential.

These symbols both represent B- (amplifier chassis ground)

Arrows indicate the direction of audio signal flow through the circuits.


This symbol indicates plug and socket terminal connections. Where it is not practical to draw the assembly as a complete unit.

- All capacitors in MFD unless otherwise indicated.
- All resistors 1/2W 10% unless otherwise indicated.
- Components are made with 20,000 ohm per volt meter (voltages $\times 10^2$) with no special marking.
- Arrow drawn on pot. arm indicates clockwise rotation.

Digital rendering, additions, and corrections copyright 2000 North Coast Music. All rights reserved, unauthorized duplication or resale strictly prohibited.

- Q1-Q2-Q3-Q5 86-5044-2
- Q6-Q10-Q11-Q12 86-5050-2
- Q4-Q7 86-5075-2
- Q8-Q9 86-5043-2

- Transistor (Grn/Yel)
- Transistor (Yellow)
- Transistor "G" (Driver)
- Output Transistor (PNP)



CAMBRIDGE REVERB

V1032